United States of America FEDERAL COMMUNICATIONS COMMISSION EXPERIMENTAL RADIO STATION CONSTRUCTION PERMIT AND LICENSE

_	EXPERIMENTAL	_	VVJZXNZ
	(Nature of Service)	-	(Call Sign)
	XC MO		0314-EX-CN-2018
	(Class of Station)		(File Number)
NAME		Space Explorations Technologies	

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(c & j) of the Commission's Rules

Station Locations

- (1) MOBILE: Hawthorne, CA: Mobile within the SpaceX factory, within 0.05 km, centered around NL 33-55-14; WL 118-19-41
- (2) MOBILE: CCAFS, FL: Mobile within integration facility DPF, within 0.1 km, centered around NL 28-28-14; WL 80-34-48
- (3) MOBILE: CCAFS, FL: Mobile within integration facility NPF, within 0.1 km, centered around NL 28-28-11; WL 80-34-44
- (4) MOBILE: CCAFS, FL: Mobile within integration facility PPF, within 0.1 km, centered around NL 28-32-37; WL 80-35-24

Frequency Information

MOBILE: Hawthorne, CA: Mobile within the SpaceX factory, within 0.05 km, centered around NL 33-55-14; WL 118-19-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
400.5 MHz	МО	338KF1D 24K0F1D	15 W (ERP)	0.001 %
1575.42 MHz	МО	20M0G1D	10 pW (ERP)	0.001 %



14/10//17

MOBILE: Hawthorne, CA: Mobile within the SpaceX factory, within 0.05 km, centered around NL 33-55-14; WL 118-19-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2028.78 MHz	МО	4M15G1D	10 mW (ERP)	0.001 %
2106.40625 MHz	МО	4M31G1D	10 mW (ERP)	0.001 %
2203.2 MHz	МО	4M15G1D	193 W (ERP)	0.001 %
2216 MHz	МО	2M73F1D 1M76F1D 347KF1D	193 W (ERP)	0.001 %
2287.5 MHz	МО	4M80G1D	193 W (ERP)	0.001 %

MOBILE: CCAFS, FL: Mobile within integration facility DPF, within 0.1 km, centered around NL 28-28-14; WL 80-34-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
400.5 MHz	MO	338KF1D 24K0F1D	15 W (ERP)	0.001 %
1575.42 MHz	МО	20M0G1D	10 pW (ERP)	0.001 %
2028.78 MHz	МО	4M15G1D	10 mW (ERP)	0.001 %

MOBILE: CCAFS, FL: Mobile within integration facility DPF, within 0.1 km, centered around NL 28-28-14; WL 80-34-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	10 mW (ERP)	0.001 %
2203.2 MHz	МО	4M15G1D	193 W (ERP)	0.001 %
2216 MHz	МО	2M73F1D 1M76F1D 347KF1D	193 W (ERP)	0.001 %
2287.5 MHz	МО	4M80G1D	193 W (ERP)	0.001 %

MOBILE: CCAFS, FL: Mobile within integration facility NPF, within 0.1 km, centered around NL 28-28-11; WL 80-34-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
400.5 MHz	МО	338KF1D 24K0F1D	15 W (ERP)	0.001 %
1575.42 MHz	МО	20M0G1D	10 pW (ERP)	0.001 %
2028.78 MHz	МО	4M15G1D	10 mW (ERP)	0.001 %
2106.40625 MHz	МО	4M31G1D	10 mW (ERP)	0.001 %

MOBILE: CCAFS, FL: Mobile within integration facility NPF, within 0.1 km, centered around NL 28-28-11; WL 80-34-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2203.2 MHz	МО	4M15G1D	193 W (ERP)	0.001 %
2216 MHz	МО	2M73F1D 1M76F1D 347KF1D	193 W (ERP)	0.001 %
2287.5 MHz	МО	4M80G1D	193 W (ERP)	0.001 %

MOBILE: CCAFS, FL: Mobile within integration facility PPF, within 0.1 km, centered around NL 28-32-37; WL 80-35-24

Frequency 400.5 MHz	Station Class MO	Emission Designator 338KF1D 24K0F1D	Authorized Power 15 W (ERP)	Frequency Tolerance (+/-) 0.001 %
1575.42 MHz	МО	20M0G1D	10 pW (ERP)	0.001 %
2028.78 MHz	МО	4M15G1D	10 mW (ERP)	0.001 %
2106.40625 MHz	МО	4M31G1D	10 mW (ERP)	0.001 %
2203.2 MHz	МО	4M15G1D	193 W (ERP)	0.001 %

MOBILE: CCAFS, FL: Mobile within integration facility PPF, within 0.1 km, centered around NL 28-32-37; WL 80-35-24

Frequency 2216 MHz	Station Class MO	Emission Designator 2M73F1D 1M76F1D 347KF1D	Authorized Power 193 W (ERP)	Frequency Tolerance (+/-) 0.001 %
2287.5 MHz	МО	4M80G1D	193 W (ERP)	0.001 %

Special Conditions:

- (1) The occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (2) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (3) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at http://freq.sbe.org/pdf files/coordinators.pdf to find the appropriate coordinator.
- (4) Licensee must maintain a point of contact available 24 hours per day, seven days per week, with the authority and ability to terminate operations authorized herein, for discussing interference concerns with other licensees, and must submit a letter to be included in its license file with the name and telephone number of the point of contact prior to commencing operation.